3-BEDROOM PENTHOUSE

Type A1a-P

78 sqm / 840 sq ft

BLK 38 #02-33, #02-36*


BLK 40

#02-37, #02-40*

BLK 44 #02-47, #02-50*


BLK 46

#02-53, #02-54*





Area includes air-con (AC) ledge, bulcony and strata void where applicable. Some units are mirror images of the apartment plans shown in the brockner. Please seem left to the key plan to crientation. The plans are subject to change as may be approved by relevant, anderdies. All flow plans are approved manuscenters only and are adjusted to prevention re-arrays. The bulcony shift not be excitoed unless with this approved bulcony creen, for an illustration of the approved bulcony creen, for an illustration of the



Type A1a

78 sqm / 840 sq ft

BLK 32

#03-21 to #17-21

BLK 34

#03-25 to #17-25, #03-28* to #17-28*

BLK 38

#03-33 to #16-33, #03-36* to #16-36* BLK 40

#03-37 to #16-37, #03-40* to #16-40*

BLK 44 #03-47 to #16-47, #03-50* to #16-50*

BLK 46

#03-53 to #16-53, #03-54* to #16-54*

Type A1a-PH

92 sqm / 990 sq ft INCLUDING STRATA VOID OF 14 sqm / 151 sq ft ABOVE LIVING & DINING. APPROXIMATE 4.5m FLOOR TO CEILING HEIGHT AT LIVING & DINING

BLK 32 #18-21

BLK 34

#18-25. #18-28*


BLK 38 #17-33, #17-36*

BLK 40 #17-37, #17-40*

BLK 44


#17-47, #17-50* BLK 46

#17-53, #17-54*





Area includes all-con (AC) indge, balcony and strala void where applicable. Some units are mirror images of the apartment plans shown in the brochuse. Please refer to the key join for crientation. The plans are subject to change as may be approved by relevant admortises. All force plans are approximate measurements only and are subject to powerment re-survey. The bibliotry staff in the enclosed unless with the approved bibliotry screen, For an illustration of the approved bibliotry screen, For all screen, For a illustration of the approved bibliotry screen, For all screen, Fo




3-BEDROOM

Type A1b-P


81 sqm / 872 sq ft

BLK 46 #02-51*, #02-52





Area includes air-con (AC) ledge, bulcony and strata void where applicable. Some units are mirror images of the apartment plans shown in the brockner. Please seem left to the key plan to crientation. The plans are subject to change as may be approved by relevant, anderdies. All flow plans are approved manuscenters only and are adjusted to prevention re-arrays. The bulcony shift not be excitoed unless with this approved bulcony creen, for an illustration of the approved bulcony creen, for an illustration of the



Type A1b

81 sqm / 872 sq ft

BLK 32 #03-24 to #17-24

BLK 46

#03-51* to #16-51*, #03-52 to #16-52


Type A1b-PH

95 sqm / 1023 sq ft INCLUDING STRATA VOID OF 14 sqm / 151 sq ft ABOVE LIVING & DINING. APPROXIMATE 4.5m FLOOR TO CEILING HEIGHT AT LIVING & DINING

BLK 32 #18-24

BLK 46

#17-51*, #17-52









Type A1c-P

92 sqm / 990 sq ft

BLK 42 #02-43



Area includes air-con (AC) ledge, balcony and strait void where applicable. Some units are mirror images of the apartment plans above in the Dockster. Please are left to the key last not criedation. The plans are subject to change as may be approved by relevant. Authorists. All foot pairs are approved mirror and supports of the international control and support and previous plans are be accided unless with the approved balcony screen, for an illustration of the approved balcony scr



Type A1c


92 sqm / 990 sq ft

BLK 42 #03-43 to #16-43


Type A1c-PH

109 sqm / 1173 sq ft INCLUDING STRATA VOID OF 17 sqm / 183 sq ft ABOVE LIVING & DINING. APPROXIMATE 4.5m FLOOR TO CEILING HEIGHT AT LIVING & DINING


BLK 42 #17-43








3-BEDROOM 3-BEDROOM



Type A1f-P

93 sqm / 1001 sq ft


BLK 40 #02-39



Type A1g-P

81 sqm / 872 sq ft

BLK 44 #02-48



Type A2a


90 sqm / 969 sq ft

BLK 42 #03-44* to #16-44*, #03-45 to #16-45

Type A2a-PH

110 sqm / 1184 sq ft INCLUDING STRATA VOID OF 20 sqm / 215 sq ft ABOVE LIVING & DINING. APPROXIMATE 4.5m FLOOR TO CEILING HEIGHT AT LIVING & DINING


BLK 42 #17-44*, #17-45



Type A2b-P


97 sqm / 1044 sq ft

BLK 42 #02-46





Area includes air-con (AC) ledge, balcony and strait void where applicable. Some units are mirror images of the apartment plans above in the Dockster. Please are left to the key last not criedation. The plans are subject to change as may be approved by relevant. Authorists. All foot pairs are approved mirror and supports of the international control and support and previous plans are be accided unless with the approved balcony screen, for an illustration of the approved balcony scr







Type A2b


97 sqm / 1044 sq ft

BLK 42 #03-46 to #16-46


Type A2b-PH

116 sqm / 1249 sq ft INCLUDING STRATA VOID OF 19 sqm / 205 sq ft ABOVE LIVING & DINING. APPROXIMATE 4.5m FLOOR TO CEILING HEIGHT AT LIVING & DINING

BLK 42








Type A2c-P

90 sqm / 969 sq ft

BLK 42 #02-41, #02-42*





Area includes air-con (A/C) ledge, balcony and strata void where applicable. Some units are mirror images of the apartment plans shown in the biochture. Please refer to the sky plan for orientation. The plans are subject to change as any be approved by relevant suchrifices. All to pair an auraproved manaments only and are subject to government ender the control of the provided plans of the subject to government ender the subject to government of the supproved balcony screen. For an illustration of the approved balcony screen, less end to the flangiam amond enterior as "financies or the flank grain amond enterior as financies or the flank grain amond enterior as financies or the flank grain amond enterior as financies."



Type A2c

90 sqm / 969 sq ft

BLK 42 #03-41 to #16-41, #03-42* to #16-42*

Type A2c-PH


108 sqm / 1163 sq ft INCLUDING STRATA VOID OF 18 sqm / 194 sq ft ABOVE LIVING & DINING. APPROXIMATE 4.5m FLOOR TO CEILING HEIGHT AT LIVING & DINING


BLK 42 #17-41, #17-42*

Type A2d-P

84 sqm / 904 sq ft


BLK 44 #02-49







Area includes air-con (AC) ledge, bulcony and strata void where applicable. Some units are mirror images of the apartment plans shown in the brockner. Please seem left to the key plan to crientation. The plans are subject to change as may be approved by relevant, anderdies. All flow plans are approved manuscenters only and are adjusted to prevention re-arrays. The bulcony shift not be excitoed unless with this approved bulcony creen, for an illustration of the approved bulcony creen, for an illustration of the







Type A2d


84 sqm / 904 sq ft


BLK 44 #03-48* to #16-48*, #03-49 to #16-49

Type A2d-PH

99 sqm / 1066 sq ft INCLUDING STRATA VOID OF 15 sqm / 161 sq ft ABOVE LIVING & DINING. APPROXIMATE 4.5m FLOOR TO CEILING HEIGHT AT LIVING & DINING

BLK 44 #17-48*, #17-49





Area includes air-con (AC) ledge, balcony and strata void where applicable. Some units are mirror images of the apartment plans shown in the borchure. Please rietr to the key jain for crientation. The plans are subject to change as may be approved by relevant authorities. All force plans are approved many the authorities. All force plans are approved many the authorities. All force plans are approved many the approved balcony screen, for an illustration of the approved balcony screen, for an illustration of the approved balcony screen, fore an illustration of the approved balcony screen, fore an illustration of the approved balcony screen, fore an illustration of the approved balcony screen, for an illustration of the approved balcony screen, for an illustration of the approved balcony screen. For an illustration of the approved balcony screen, for an illustration of the approved balcony screen, for an illustration of the approved balcony screen.



Type A3a

92 sqm / 990 sq ft

BLK 32

#03-22 to #17-22

BLK 34

#03-27* to #17-27*

BLK 36

#03-30 to #16-30

BLK 38

#03-34 to #16-34

Type A3a-PH

108 sqm / 1163 sq ft INCLUDING STRATA VOID OF 16 sqm / 172 sq ft ABOVE LIVING & DINING. APPROXIMATE 4.5m FLOOR TO CEILING HEIGHT AT LIVING & DINING


BLK 32

#18-22 BLK 34

#18-27*

BLK 36 #17-30

BLK 38 #17-34



Type A3b

88 sqm / 947 sq ft

BLK 36 #03-29 to #16-29

Type A3b-PH


104 sqm / 1119 sq ft INCLUDING STRATA VOID OF 16 sqm / 172 sq ft ABOVE LIVING & DINING. APPROXIMATE 4.5m FLOOR TO CEILING HEIGHT AT LIVING & DINING


BLK 36 #17-29

Type A4a-P

94 sqm / 1012 sq ft


BLK 36 #02-32







Area includes air-con (AC) ledge, balcony and strait void where applicable. Some units are mirror images of the apartment plans above in the Dockster. Please are left to the key last not criedation. The plans are subject to change as may be approved by relevant. Authorists. All foot pairs are approved mirror and supports of the international control and support and previous plans are be accided unless with the approved balcony screen, for an illustration of the approved balcony scr







Type A4a


94 sqm / 1012 sq ft

BLK 36 #03-32 to #16-32

Type A4a-PH

110 sqm / 1184 sq ft Including Strata void of 16 sqm / 172 sq ft Above Living & Dining. Approximate 4.5m Floor to Ceiling Height at Living & Dining


BLK 36



Type A4b-P


95 sqm / 1023 sq ft

BLK 38 #02-35





Area includes air-con (AC) ledge, balcony and strait void where applicable. Some units are mirror images of the apartment plans above in the Dockster. Please are left to the key last not criedation. The plans are subject to change as may be approved by relevant. Authorists. All foot pairs are approved mirror and supports of the international control and support and previous plans are be accided unless with the approved balcony screen, for an illustration of the approved balcony scr







Type A4b

95 sqm / 1023 sq ft

BLK 38 #03-35 to #16-35

Type A4b-PH

112 sqm / 1206 sq ft INCLUDING STRATA VOID OF 17 sqm / 183 sq ft ABOVE LIVING & DINING. APPROXIMATE 4.5m FLOOR TO CEILING HEIGHT AT LIVING & DINING

BLK 38 #17-35

Type A4c


98 sqm / 1055 sq ft


BLK 40 #03-39 to #16-39

Type A4c-PH

116 sqm / 1249 sq ft INCLUDING STRATA VOID OF 18 sqm / 194 sq ft ABOVE LIVING & DINING. APPROXIMATE 4.5m FLOOR TO CEILING HEIGHT AT LIVING & DINING

BLK 40 #17-39





3-BEDROOM PREMIUM 3-BEDROOM PREMIUM 3-BEDROOM PREMIUM PENTHOUSE


Type A4d-P

105 sqm / 1130 sq ft

BLK 36 #02-31


BLK 40

#02-38*





Area includes air-con (AC) ledge, bulcony and strata void where applicable. Some units are mirror images of the apartment plans shown in the brockner. Please seem left to the key plan to crientation. The plans are subject to change as may be approved by relevant, anderdies. All flow plans are approved manuscenters only and are adjusted to prevention re-arrays. The bulcony shift not be excitoed unless with this approved bulcony creen, for an illustration of the approved bulcony creen, for an illustration of the



Type A4d

105 sqm / 1130 sq ft

BLK 36 #03-31 to #16-31

BLK 40 #03-38* to #16-38*


Type A4d-PH

124 sqm / 1335 sq ft INCLUDING STRATA VOID OF 19 sqm / 205 sq ft ABOVE LIVING & DINING. APPROXIMATE 4.5m FLOOR TO CEILING HEIGHT AT LIVING & DINING

BLK 36 #17-31

BLK 40

#17-38*



Type A4e


105 sqm / 1130 sq ft


BLK 22 #02-04 to #09-04

Type A4e-PH

121 sqm / 1302 sq ft INCLUDING STRATA VOID OF 16 sqm / 172 sq ft ABOVE LIVING & DINING. APPROXIMATE 4.5m FLOOR TO CEILING HEIGHT AT LIVING & DINING

BLK 22 #10-04






Type A4f-P

107 sqm / 1152 sq ft

BLK 24 #01-07





Area lockudes air-con (AC) ledge, balcony and strata void where applicable. Some units are mirror images of the apartment plans about in the bockner. Plans after left to the key plan for crientation. The plans are subject to change as any be approved by relevant destrotlers. All for plans are approximat measurements only as all subject to government re-survey. The balcony shall not be enclosed unless with this approved balcony screen. For an illustration of the approved balcony screen, level or the diagram entered levels as "Memoria effects to the diagram entered levels as "Memoria".





Area includes air-con (AC) ledge, bulcony and strata void where applicable. Some units are mirror images of the apartment plans shown in the brockner. Please seem left to the key plan to crientation. The plans are subject to change as may be approved by relevant, anderdies. All flow plans are approved manuscenters only and are adjusted to prevention re-arrays. The bulcony shift not be excitoed unless with this approved bulcony creen, for an illustration of the approved bulcony creen, for an illustration of the

Type A4f

103 sqm / 1109 sq ft

BLK 24 #02-07 to #16-07

Type A4f-PH

121 sqm / 1302 sq ft INCLUDING STRATA VOID OF 18 sqm / 194 sq ft ABOVE LIVING & DINING. APPROXIMATE 4.5m FLOOR TO CEILING HEIGHT AT LIVING & DINING

BLK 24 #17-07


Type A4g-P

112 sqm / 1206 sq ft


BLK 24 #02-05

BLK 26

#02-09










Area lockudes air-con (AC) ledge, bulcony and strata void where applicable. Some units are mirror images of the apartment plans shown in the brockner. Plans enter to the key pain for crientation. The plans are subject to change as may be agrowed by relevant admitterials. All for plans are approximal measurements only and are subject to government in-survey. The balloony shall not be enclosed unless with this approved balloony screen, For an illustration of the approved balloony screen, For an illustratio






Area includes air-con (AC) ledge, bulcony and strata void where applicable. Some units are mirror images of the apartment plans shown in the brockner. Please seem left to the key plan to crientation. The plans are subject to change as may be approved by relevant, anderdies. All flow plans are approved manuscenters only and are adjusted to prevention re-arrays. The bulcony shift not be excitoed unless with this approved bulcony creen, for an illustration of the approved bulcony creen, for an illustration of the

Type A4h-P

113 sqm / 1216 sq ft

BLK 28 #02-13



Type B1-P

121 sqm / 1302 sq ft

BLK 32 #02-23






Area includes air-con (AC) ledge, balcony and strats void where applicable. Some units are mirror images of the apartment plans shown in the brookner. Please refer to the key plan for orientation. The plans are subject to change as may be approved by relevant Amorbitise. All too private are approvedint ensurements only and are adapted to prevention re-survey. The balcony plant on excluded unless with the approved balcony screen, for an illustration of the approved balcony screen, some or to the disparation and entered as "Policanes and entered as "Policanes and Entered Section an





Area includes air-con (AC) hdge, balcony and strata void where applicable. Some units are mirror images of the apartment plans afrown in the brochuse. Please refer to the key goals for orientation. The plans are subject to ordange as may be approved by relevant authorities. All foot originate are appointed measurements only and authorities, all foot originate are approximate re-avery. The biddoxy stall not be enclosed unless with the approved biddoxy scene, for an illustration of the approved biddoxy scene, larger enter to the disease manded feeted as "Amended Tested Amended Tested Teste



Type B1

121 sqm / 1302 sq ft

BLK 32 #03-23 to #17-23

Type B1-PH


140 sqm / 1507 sq ft INCLUDING STRATA VOID OF 19 sqm / 205 sq ft ABOVE LIVING & DINING. APPROXIMATE 4.5m FLOOR TO CEILING HEIGHT AT LIVING & DINING


BLK 32 #18-23

Type B2-P1

126 sqm / 1356 sq ft


BLK 24 #02-08







Area includes air-con (AC) ledge, balcony and strait void where applicable. Some units are mirror images of the apartment plans above in the Dockster. Please are left to the key last not criedation. The plans are subject to change as may be approved by relevant. Authorists. All foot pairs are approved mirror and supports of the international control and support and previous plans are be accided unless with the approved balcony screen, for an illustration of the approved balcony scr








Type B2-P2

130 sqm / 1399 sq ft

BLK 30 #01-18






KEYPLAN IS NOT DRAWN TO SCALE.

Type B2-PH Type B2

126 sqm / 1356 sq ft BLK 22 #02-01* to #09-01* BLK 24 #03-08 to #16-08 BLK 28 #03-13* to #16-13* BLK 30 #02-18 to #09-18, #02-20 to #09-20 -RC FRAME AT:





Area includes all-con (AC) indge, balcony and strala void where applicable. Some units are mirror images of the apartment plans shown in the brochuse. Please refer to the key join for crientation. The plans are subject to change as may be approved by relevant admortises. All force plans are approximate measurements only and are subject to powerment re-survey. The bibliotry staff in the enclosed unless with the approved bibliotry screen, For an illustration of the approved bibliotry screen, For all screen, For a illustration of the approved bibliotry screen, For all screen, Fo



145 sqm / 1561 sq ft INCLUDING STRATA VOID OF 19 sqm / 205 sq ft ABOVE LIVING & DINING. APPROXIMATE 4.5m

FLOOR TO CEILING HEIGHT AT LIVING & DINING

BLK 22

#10-01*

BLK 24

#17-08

BLK 28

#17-13*




Area includes air-con (AC) ledge, bulcony and strata void where applicable. Some units are mirror images of the apartment plans shown in the brockner. Please seem left to the key plan to crientation. The plans are subject to change as may be approved by relevant, anderdies. All flow plans are approved manuscenters only and are adjusted to prevention re-arrays. The bulcony shift not be excitoed unless with this approved bulcony creen, for an illustration of the approved bulcony creen, for an illustration of the

4-BEDROOM PREMIUM 4-BEDROOM PREMIUM 4-BEDROOM PREMIUM PENTHOUSE

Type B3-P

127 sqm / 1367 sq ft

BLK 26 #02-12





KEYPLAN IS NOT DRAWN TO SCALE.

Type B3

127 sqm / 1367 sq ft

BLK 24 #03-05* to #16-05*

BLK 26

#03-09* to #16-09*, #03-12 to #16-12


Type B3-PH


146 sqm / 1572 sq ft INCLUDING STRATA VOID OF 19 sqm / 205 sq ft ABOVE LIVING & DINING. APPROXIMATE 4.5m FLOOR TO CEILING HEIGHT AT LIVING & DINING

BLK 24 #17-05*

BLK 26

#17-09*, #17-12





Area includes air-con (AC) ledge, bulcony and strata void where applicable. Some units are mirror images of the apartment plans shown in the brockner. Please seem left to the key plan to crientation. The plans are subject to change as may be approved by relevant, anderdies. All flow plans are approved manuscenters only and are adjusted to prevention re-arrays. The bulcony shift not be excitoed unless with this approved bulcony creen, for an illustration of the approved bulcony creen, for an illustration of the



4-BEDROOM PREMIUM 4-BEDROOM PREMIUM


Type B4-P1

127 sqm / 1367 sq ft

BLK 26 #01-11

BLK 30


#01-19



Type B4-P2

129 sqm / 1389 sq ft

BLK 28 #01-14





Area includes air-con (A/C) lodge, balcony and strata void where applicable. Some units are mirror images of the apartment plans above in the Dochter. Please in enter to the key plan to crientation. The plans are subject to change as may be approved by relevant, Anderders. All foot plans are approved manuscentered only and are applicated presentant enterprise and applicated presentant enterprise and application presentant enterprise and application presentant and approved belongs received. For an illustration of the approved belongs received present both designam enterprise after both designam enterprise feet to the designam enterprise after both designam enterprise present present present and approved between the enterprise and appro





Area includes air-con (AC) hdge, balcony and strata void where applicable. Some units are mirror images of the apartment plans afrown in the brochuse. Please refer to the key goals for orientation. The plans are subject to ordange as may be approved by relevant authorities. All foot originate are appointed measurements only and authorities, all foot originate are approximate re-avery. The biddoxy stall not be enclosed unless with the approved biddoxy scene, for an illustration of the approved biddoxy scene, larger enter to the disease manded feeted as "Amended Tested Amended Tested Teste



Type B4

124 sqm / 1335 sq ft

BLK 26 #02-11 to #16-11

BLK 28

#02-14* to #16-14*

BLK 30

#02-17 to #09-17, #02-19 to #09-19

Type B4-PH


142 sqm / 1528 sq ft INCLUDING STRATA VOID OF 18 sqm / 194 sq ft ABOVE LIVING & DINING. APPROXIMATE 4.5m FLOOR TO CEILING HEIGHT AT LIVING & DINING

BLK 26 #17-11

BLK 28

#17-14*


BLK 30 #10-17, #10-19





Type B5-P

131 sqm / 1410 sq ft

BLK 24 #01-06







Type B5


127 sqm / 1367 sq ft

BLK 24 #02-06 to #16-06

Type B5-PH


146 sqm / 1572 sq ft INCLUDING STRATA VOID OF 19 sqm / 205 sq ft ABOVE LIVING & DINING. APPROXIMATE 4.5m FLOOR TO CEILING HEIGHT AT LIVING & DINING

BLK 24 #17-06






Area includes air-con (AC) ledge, bulcony and strata void where applicable. Some units are mirror images of the apartment plans shown in the brockner. Please seem left to the key plan to crientation. The plans are subject to change as may be approved by relevant, anderdies. All flow plans are approved manuscenters only and are adjusted to prevention re-arrays. The bulcony shift not be excitoed unless with this approved bulcony creen, for an illustration of the approved bulcony creen, for an illustration of the




Type C1-P

133 sqm / 1432 sq ft

BLK 34 #02-26







Type C1

133 sqm / 1432 sq ft

DOTTED LINE DENOTES STRATA -VOID AREA OF 22 sqm / 237 sq ft ABOVE LIVING AND DINING FOR

TYPE C1-PH

BLK 34 #03-26 to #17-26

Type C1-PH

155 sqm / 1668 sq ft INCLUDING STRATA VOID OF 22 sqm / 237 sq ft ABOVE LIVING & DINING. APPROXIMATE 4.5m FLOOR TO CEILING HEIGHT AT LIVING & DINING

BLK 34 #18-26

BEDROOM -





RWDP NOT

APPLICABLE TO PH UNITS

BALCONY

Area includes air-con (AC) ledge, balcony and strait void where applicable. Some units are mirror images of the apartment plans above in the Dockster. Please are left to the key last not criedation. The plans are subject to change as may be approved by relevant. Authorists. All foot pairs are approved mirror and supports of the international control and support and previous plans are be accided unless with the approved balcony screen, for an illustration of the approved balcony scr


A/C LEDGE

BATH 3

JUNIOR MASTER BEDROOM

-RC LEDGE AT 7TH, 11TH & 15TH STOREYS

WET



TO PH UNITS


MASTER BEDROOM

BALCONY

Type C2-P1

140 sqm / 1507 sq ft

BLK 28 #02-16








Type C2-P2


143 sqm / 1539 sq ft

BLK 22 #01-02*, #01-03





Area includes air-con (AC) ledge, balcony and strait void where applicable. Some units are mirror images of the apartment plans above in the Dockster. Please are left to the key last not criedation. The plans are subject to change as may be approved by relevant. Authorists. All foot pairs are approved mirror and supports of the international control and support and previous plans are be accided unless with the approved balcony screen, for an illustration of the approved balcony scr




Type C2-P3

145 sqm / 1561 sq ft

BLK 26 #01-10*

BLK 28

#01-15





Area includes air-con (A/C) ledge, balcony and strata void where applicable. Some units are minor images of the apartment plans shown in the biochise. Please refer to this sky plan for orientation. The plans are subject to change as may be approved by relevant sectorities. All to prime are approved minor assemblements only and are subject to government enterprise and approved by the plant sectorities. All to prime a supproved by the plant sectorities are subject to government enterprise and approved balcoty screen, for an illustration of the approved balcoty screen, for an illustrati



Type C2

140 sqm / 1507 sq ft

BLK 22 #02-02* to #09-02*, #02-03 to #09-03

BLK 26

#02-10* to #16-10*

BLK 28

#02-15 to #16-15, #03-16* to #16-16*

Type C2-PH

158 sqm / 1701 sq ft INCLUDING STRATA VOID OF 18 sqm / 194 sq ft ABOVE LIVING & DINING. APPROXIMATE 4.5m FLOOR TO CEILING HEIGHT AT LIVING & DINING


BLK 22

#10-02*, #10-03


BLK 26

#17-10*

BLK 28 #17-15, #17-16*



ANNEXURE A



Note:
The balcony shall not be enclosed unless with the approved balcony screen as shown above. The cost of screen and installation shall be borne by the Purchaser.